# Bridge To Recovery (BTR) Opioid Use Disorder Project for Juveniles



Pamala Sacks-Lawlar MHA, CDP Behavioral Health Administrator BTR Director

Dr. Paul Schneider MD Medical Director

Troy Wasmundt, BS, RN OUD Nurse Coordinator

### Overview

- Opioid Use Disorders in Juveniles
- Bridge to Recovery Project
  - 1. Eligibility Criteria
  - 2. Flow Chart
- Medication Assisted Treatment (MAT)
  - 1. Youth population data
  - 2. Medication availability
  - 3. Community Coordination
- Questions/Answers

# BTR Project Purpose

#### **Program Eligibility:**

- OUD Diagnosis
- Mental Health diagnosis
- Age 12-24 years old
- Parole and No-Parole

- Track I: ACRA Phase 1 only (noparole) services inside Facility only. Pre-release youth referred to outside treatment or support resources.
- Track II: ACRA/ACC Phase 2
   (parole) receive services inside
   facility and up to 90 days while
   on parole.

## BTR Services include:

- 1. Screening. Utilizing a validated screening tool (GAIN SS)
- 2. Initial Assessment. After the GAIN SS indicates further assessment (positive score of 2 or more). Again, utilizing a validated assessment tool (GAIN-I/Lite). GAIN M90 follow-up provided at 90 days in Phase I and 120 days in Phase II
- 3. Service Coordination. Driven by the assessment results, we develop a comprehensive service plan (substance abuse services, educational and Medication Assisted Treatment).
- 4. Service Initiation. Phase I ACRA services begins within 4 months prior to release. Phase II ACRA-ACC transitional services begin within 48 hours of release. Referrals to Medication Assisted Treatment (MAT)as deemed appropriate.

## BTR Service Flow Chart

#### Institution- 30 day intake

- GAIN SS Flag for assessment
- GAIN Lite Assessment
- Diagnosis of Opioid Use Disorder
- Special Needs Assessment
- •BTR Referral

## Institution – 4 months prior to release

- •BHS identify BTR youth
- Youth sign consent
- •BTR begins...
- Phase I ACRA youth sessions begin
- •RTM meeting
- Transition screening @60 days prior to release

# Institution – 45 Days prior to release

- •Transition Report
- •Community Referral coordination
- •Increased community contact
- •GAIN M90 #1 at 90 days

# Community within 45 days to release


- RTMmeeting
- Field visit—family
- Report back to the Institution
- RDA data collection

#### Community-youth release

- •BTR continues...
- Phase II A-CRA/ACC
- •GAIN M90 #2 at 120 days
- RDA data collection



# OUD Treatment Methodologies



# Bridge to Recovery MAT Services

- SUD screening, Assessment and Referral
- Medical Screening
- Oral Vivitrol dose challenge
- Vivitrol injection
- Community Provider referral and handoff
- Narcan distribution at discharge

# Questions/Answers